

How to Prevent Mishaps



Risk Management - Five Step Process

- Hazard Identification
- Assess Hazards
- Make Risk Decisions
- Implement Controls
- Supervise/Evaluate



Scenario

In October Navy Family Housing occupants experienced first really cold day. Occupants shifted from a/c to heating system. The next day at 0750, wife's co-worker became concerned when she hadn't arrived at work. Coworker made several unanswered calls and at 0900, drove to residence. There was no response to knocks despite both cars being in the driveway. At 1200, co-worker called base security, who entered residence with a key. A Sailor and his four dependents died from Carbon Monoxide poisoning.



1. Hazard Identification

Hazards

- Missing Co Alarm
- Faulty Furnace
- Closed Fresh Air Make-up Vents
- Dirty/Clogged Filters
- Air Register Obstructed
- Blocked Chimney Flue
- Fuel Space Heaters



2. Assess Hazards

Hazards

- Faulty Furnace
- Fresh Make-up Air Vent Closed
- Dirty/Clogged Air Filters
- Return Air Vent Obstructed
- Blocked Chimney Flue
- Defective Fuel Space Heaters
- Missing CO Alarm

Severity/Probability

Catastrophic/Likely To Occur

Catastrophic/Likely To Occur

Marginal/May Occur

Marginal/May Occur

Catastrophic/Likely To Occur

Catastrophic/Likely To Occur


Catastrophic/Likely To Occur



3. Make Risk Decisions

Hazards

- Missing CO Alarm
- Fresh Make-up Air Vent Closed
- Faulty Furnace
- Blocked Chimney Flue
- Defective Fuel Space
- **Heaters**
- Dirty/Clogged Air
- **Filters**
- •Return Air Vent
- **Obstructed**



4. Implement Controls

<u>Hazards</u>

- Missing Co Alarm
- Fresh Make-up Air Vent Closed
- Faulty Furnace
- Blocked Chimney Flue
- Fuel Space Heaters
- Dirty/Clogged Air Filters

Return Air VentObstructed

Controls

Install Alarm

Establish Appropriate PM Schedule - QA Work

Disallow Use In Quarters

Change Filters Quarterly (Monthly For Pets)

Keep Furniture Away From Vents

5. Supervise

- Housing inspector verifies alarm operation during occupant check-in/check-out - ensure return air duct not blocked - inform occupants on their responsibility to change air filters
- •Implement policy to ensure that CO awareness is publicized prior to and during each heating system
- •Annual fire department inspection of housing units to include proper maintenance and operation of CO alarms



Eliminating Falls Around The Home

- Light Stairways
- Non-Skid Backing On Rugs
- Trip Hazards Off Stairways
- Ladders Not Chairs For Reaching Objects



Fire Safety In The Home

- Practice Exit Drills
- Be Attentive When Cooking
- Keep Matches And Lighters
 Out Of The Reach Of Children
- Don't Overload Electrical Outlets



Fireplace Safety

- Get A Professional Check
- Do Not Use Flammable
- **Liquids On The Fire**
- Keep The Damper Open
- Use A Screen
- Make Sure Smoke And Co Alarms Are Working



Kerosene Heater And Coal Stove Safety

- Check With Your Housing Office
- Follow The Owner's Manual Guidelines
- Use Fuel Appliances In Well Ventilated Areas



Christmas Tree Safety

- Check For Freshness
- Place It Away From Fireplaces
 And Radiators
- Before Mounting, Cut Its Base So
 It Can Absorb Water
- Check The Water Level Daily



Decorations Need Extra Care

- Approved Lights Only
- Frayed Wires And Broken Bulbs
- •Flame-resistant Trimmings
- Going To Bed Or Leaving The House - Lights Off



Keep The Magic In Holiday Parties

- Snacks And Non Alcoholic Drinks
- Large Ashtrays For Smokers
- Provide Rides Home



Hypothermia Kills



Snow Skiing Safety



Snowmobile Safety



Skating On Ice Can Be Fatal

- •Skate At Commercial Rinks, If Possible
- Use Supervised Areas With Ice Four Inches Thick
- Ensure Rescue Ropes And
- **Ladders Are Available**
- Skate With A Friend



Clearing Snow Safely



Chainsaw Safety

- Follow Manufacturer's Recommendations
- Training
- PPE
- Anti-Kickback Devices
- Cut Between Knee And Waist
- Safe Refueling



How To Jump-Start A Vehicle

